

Deburring-Polishing MACHINES





Top and bottom processing in one pass

Features and Benefits

Top and bottom processing in one pass

Deburring and polishing operations
For plasma and oxy cut parts, laser, sheared, stamped, punched and water-jet cut parts

Low energy consumptionDirectional or non-directional finishing


• Easy to use and intuitive through our PLC vision

Uniform 360° edge rounding independent of direction of contour

Adjustable grade of edge rounding

Modular design, compact and heavy duty frame
Available in 2 ,4 and 6 units
For flat or formed parts

• Oxide removal up to 16 mm



Techincal Data

- Working width:
- Available working units:
- Feed speed:
- Opening height:
- Electronic controls via PLC


1350 - 1650

da 1 +1 a 3+3


0.3 - 6 mt/min

900 mm



















Location: Italy - Veneto



Airports

Venezia: 90 Km - 1h drive Treviso: 75 Km - 1,5 h drive Verona: 65 Km - 45 min drive Bologna: 160 Km - 2h drive

Train Station

Vicenza: 30 km - 30 min drive

Car Directions


To the Factories in Sandrigo Highway A31 - Exit Dueville - 3,5 km

To the Main Office in Schio Highway A31 - Exit Thiene-Schio - 13 Km



Headquarter of Schio Via Venezia, 144 - 36015 Schio






Factory of Sandrigo 2 / Sandrigo Via G.Galilei, 5 / Via Galvani, 1-36066 Sandrigo







We reserve the right to change features without any notice

