



EXTERNAL QUICK AUTOMATIC CLEANING UNIT FOR SPRAYHEADS



- To **test the functionality** of the individual nozzles
- To clean quickly and automatically and facilitate off-line maintenance operations on the spray heads;
- without having to stop production, if you have additional spray heads





CONTROL PANEL - TEST FUNCTION

- To test the correct functionality of nozzles and manifolds, in terms of:
- \checkmark Oil flow
- ✓ Air pressure
- ✓ Oil pressure







CONTROL PANEL -CLEANING FUNCTION

For quick and automatic cleaning of nozzles and manifolds, in just three steps:

- **Emptying** of the hydraulic circuit by means of compressed air
- **Cleaning** the entire circuit with a special DT Wash cleaning product
- **Drying** by means of compressed air



DieTroni

MOVABLE UNIT WITH TROLLEY

- Versatile and adaptable to **new or existing lines**
- For spray heads of various sizes
- (Possible addition on board the Waste recovery tank)





Via Madre Teresa di Calcutta 9-13,
 Z.I. Malpensata, 26866
 Sant'Angelo Lodigiano (LO) – IT

+39 0371 210 129
+39 0371 214 321

<u>sales@dietronic.eu</u>

www.dietronic.eu &
www.tubesurface.com

►

in



800 947 397

+39 0371 070075

THANK YOU FOR YOUR ATTENTION

OISO Stars EU

ISO 9001